

**Crimping tool  
HTX 188**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Crimping tools for coaxial connectors**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

Type	HTX 188
Order No.	<a href="#">9011990000</a>
Version	Crimping tool, Crimping tool for contacts, Hexagonal crimping
GTIN (EAN)	4008190026066
Qty.	1 pc(s).

**Data sheet**

**Crimping tool  
HTX 188**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data**

**Dimensions and weights**

Width	200 mm	Width (inches)	7.874 inch
Weight	420 g	Net weight	450 g

**Environmental Product Compliance**

REACH SVHC	Lead 7439-92-1
------------	----------------

**Technical data**

Version	Mechanical, without interchangeable inserts
---------	---

**Description of contact**

Type of contact	Coaxial connector
-----------------	-------------------

**tool data crimping**

Crimping type/profile	Hexagonal crimping	Hexagon AF (A)	3.25 mm
Hexagon spanner width (A 2)	1.72 mm	Crimping station, width (B 1)	10 mm
Crimping station, width (B 2)	2.3 mm	Internal contact diameter (D)	2 mm

**Classifications**

ETIM 3.0	EC000524	ETIM 4.0	EC000524
ETIM 5.0	EC000168	ETIM 6.0	EC000168
UNSPSC	56-11-15-08	eClass 5.1	27-40-02-18
eClass 6.2	21-04-38-11	eClass 7.1	21-04-38-11
eClass 8.1	21-04-38-11	eClass 9.0	21-04-38-11
eClass 9.1	21-04-38-11		

**Approvals**

Approvals	
-----------	---

ROHS	Conform
------	---------

**Downloads**

Brochure/Catalogue	<a href="#">CAT 6 TOOLS 15/16 EN</a>
--------------------	--------------------------------------

**Data sheet**

**Crimping tool  
HTX 188**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

