

**Crimping tool
MTR 35 ZERT**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts.**

- Comprehensive range of standard-compliant crimp inserts
- Wide choice of mechanical, hydraulic and electro-hydraulic tools
- large processing range up to 300 mm²
- Release option in the event of incorrect operation

General ordering data

Type	MTR 35 ZERT
Order No.	9017470000
Version	Crimping tool, Crimping tool, universal hand presses, 6mm ² , 50mm ²
GTIN (EAN)	4008190341176
Qty.	1 pc(s).

Data sheet

**Crimping tool
MTR 35 ZERT**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	270 mm	Width (inches)	10.63 inch
Weight	1.3 kg	Net weight	1,549 g

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Description of contact

Type of contact	Tubular cable lug, rolled connector	Crimping range, min.	6 mm ²
Crimping range, max.	50 mm ²		

tool data crimping

Copper connector (rolled), min.	6 mm ²	Copper connector (rolled), max.	35 mm ²
Insulated connectors, min.	10 mm ²	Insulated connectors, max.	25 mm ²
Wire end ferrules cross-section, min.	25 mm ²	Wire end ferrules cross-section, max.	50 mm ²
Deviation	8 mm		

Classifications

ETIM 3.0	EC001282	ETIM 4.0	EC001282
ETIM 5.0	EC000168	ETIM 6.0	EC000168
UNSPSC	23-17-16-04	eClass 5.1	21-04-91-14
eClass 6.2	21-04-38-11	eClass 7.1	21-04-38-11
eClass 8.1	21-04-38-11	eClass 9.0	21-04-38-11
eClass 9.1	21-04-38-11		

Product information

Descriptive text technical data	Refer to the crimp inserts on the following pages for more details.
Instructions for accessories	Crimping inserts see on the following pages

Approvals

Approvals



Data sheet

**Crimping tool
MTR 35 ZERT**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

