

**Crimping tool
HTF RSV 16 ZERT**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

**Crimping tools for Weidmüller contacts for RSV
and DSTV-HD systems**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- With end stop for exact positioning of the contacts

General ordering data

Type	HTF RSV 16 ZERT
Order No.	9017880000
Version	Crimping tool, Crimping tool for contacts, 26AWG, 16AWG, FoderBcrimp
GTIN (EAN)	4032248143740
Qty.	1 pc(s).

Data sheet

**Crimping tool
HTF RSV 16 ZERT**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Width	205 mm	Width (inches)	8.071 inch
Weight	445 g	Net weight	541 g

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Description of contact

Type of contact	RSV and DSTV-HD	Crimping range, min.	26 AWG
Crimping range, max.	16 AWG		

tool data crimping

Crimping profile 1, min.	26 AWG	Crimping type/profile	FoderBcrimp
Crimping profile 1, max.	24 AWG	Crimping profile 2, min.	22 AWG
Crimping profile 2, max.	20 AWG	Crimping profile 3, min.	22 AWG
Crimping profile 3, max.	20 AWG	Crimping profile 4, min.	18 AWG
Crimping profile 4, max.	16 AWG		

Classifications

ETIM 5.0	EC000168	ETIM 6.0	EC000168
eClass 6.2	21-04-38-11	eClass 7.1	21-04-38-11
eClass 8.1	21-04-38-11	eClass 9.0	21-04-38-11
eClass 9.1	21-04-38-11		

Approvals

Approvals



ROHS Conform

Downloads

Brochure/Catalogue [CAT 6 TOOLS 15/16 EN](#)

Data sheet

**Crimping tool
HTF RSV 16 ZERT**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

