

**Cutting tools  
KTF 36**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



Cutting tools for conductors up to 25 mm or 35 mm outer diameter Suitable for non-pinch cutting of copper and aluminium conductors. Useful in particularly confined situations because the moving cutter does not have to be swung over into position.

- Easy handling
- Minimal hand force required
- Release option in every cutting position

**General ordering data**

Type	KTF 36
Order No.	<a href="#">9002190000</a>
Version	Cutting tools ,Front cutter ,35mm ,Copper and aluminium
GTIN (EAN)	4008190066345
Qty.	1 pc(s).

## Cutting tools KTF 36

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Width	330 mm	Width (inches)	12.992 inch
Height	100 mm	Height (inches)	3.937 inch
Depth	49 mm	Depth (inches)	1.929 inch
Weight	1,757 g	Net weight	1,642.78 g

### Environmental Product Compliance

REACH SVHC Lead 7439-92-1

### Technical data

Version One-hand mechanical

### Cutting tools

Copper cable - flexible, max.	300 mm <sup>2</sup>	Copper cable - flexible, max. (kcmil)	600 kcmil
Copper cable - stranded, max.	300 mm <sup>2</sup>	Copper cable - stranded, max. (kcmil)	600 kcmil
Copper cable, max. diameter	35 mm	Data / telephone / control cable, max. Ø	35 mm
Stranded aluminium cable, max (mm <sup>2</sup> )	300 mm <sup>2</sup>	Stranded aluminium cable, max. (kcmil)	600 kcmil
Stranded aluminium cable, max. diameter	35 mm		

### Classifications

ETIM 3.0	EC000005	ETIM 4.0	EC000005
ETIM 5.0	EC000142	ETIM 6.0	EC000142
UNSPSC	31-16-31-02	eClass 5.1	27-40-02-01
eClass 6.2	21-04-90-90	eClass 7.1	21-04-90-11
eClass 8.1	21-04-90-11	eClass 9.0	21-04-90-11
eClass 9.1	21-04-90-11		

### Product information

Descriptive text technical data Tool closed

### Approvals

Approvals



ROHS Conform

### Downloads




Brochure/Catalogue [CAT 6 TOOLS 15/16 EN](#)

**Data sheet**

**Cutting tools**  
**KTF 36**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

-  Cu + Al: max. 35 mm
-  Cu: max. 300 mm<sup>2</sup>  
Al: max. 300 mm<sup>2</sup>
-  Cu: max. 300 mm<sup>2</sup>